

A blue medical syringe with a needle, angled diagonally across the frame. The syringe is filled with a clear liquid. The needle is pointing towards the top right corner. The background is black.

# Vaccine Detoxification Protocol & Protecting Against Spike Protein Shedding

By: C.J. Zingle

# Vaccine Detoxification Protocol & Protecting Against Spike Protein Shedding

C.J. Zingle

Copyright © 2022 C.J. Zingle

All rights reserved

The characters and events portrayed in this book are fictitious. Any similarity to real persons, living or dead, is coincidental and not intended by the author.

No part of this book may be reproduced, or stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without express written permission of the publisher.

ISBN-13: 9798806534904

Cover design by: Art Painter  
Library of Congress Control Number: 2018675309  
Printed in the United States of America

*Dedicated to anyone who has ever been injured by a vaccine personally and for family and friends impacted by knowing someone who was or is vaccine injured.*

*The adversity faced is incomparable and the reward will be your strength for having gone through this adversity.*

*God's strongest warriors are given the hardest battles to overcome.*

*You are stronger than you know!*

# Contents

[Title Page](#)

[Copyright](#)

[Dedication](#)

[Disclaimer](#)

[Preface](#)

[For 1-on-1 Consultation & Guidance](#)

[Vaccine Injuries Connected To Major Health Illnesses](#)

[Covid-19 Vaccine Inserts & Warnings](#)

[Undisclosed Covid-19 Vaccine Ingredients List](#)

[Historically Utilized Vaccine Ingredients - Used In The Past &/or  
Currently.](#)

[Covid-19 Vaccine Ingredients](#)

[Vaccine Detoxification Protocol](#)

[Additional Detoxing Remedies & Protection](#)

[Blocking vs. Neutralizing The Spike Protein](#)

[What we currently know about Graphene Oxide \(GO\)](#)

[Useful Remedies For Treating & Preventing Virus](#)

[Further Research - Scientific Studies Relating To Vaccine Injuries](#)

[Final Notes](#)

[Follow Me Here For More Updates](#)

[About The Author](#)

# Disclaimer

*THIS INFORMATION IS INTENDED FOR EDUCATIONAL AND INFORMATIONAL PURPOSES ONLY and only summarizes a host of reference materials. It is not meant to replace qualified medical care and does not include all the information that may be of relevance for each herb or supplement. Every effort has been made to ensure that the information contained in this book is complete and accurate. The statements made in this book have not been evaluated by the U.S. Food and Drug Administration (FDA). The products mentioned in this book are not intended to treat, diagnose, cure, or prevent any disease or illness. The information provided in this book is not a substitute for a consultation with your own physician, and should not be construed as individual medical advice. Although this book contains information relating to health care, the information is not intended as medical advice and is not intended to replace a person-to-person relationship with a qualified healthcare professional. If you know or suspect you have a health problem, it is recommended that you first seek the advice of a physician before trying out any medical program or treatment. All efforts have been made to assure the accuracy of the information contained in this book at the time of publication.*

*The author disclaims any liability for any medical outcomes that may occur as a result of applying the methods suggested in this book.*

# Preface

This is an updated protocol to detox those who have been injected with the jab and the same protocol is useful to protect those concerned with the spike protein shedding coming off those who have been injected. If you know someone who has been injected and requires help, please provide them with this protocol.

It is important to detox with the below protocols as soon as possible. The longer you wait, the more time the vaccine has to incubate and react within the body and the more likely there is to be health damages. I have personally used all of the products below along with the protocols I have outlined. I have also received great feedback from everyone I have shared this with so far. There have been many people who have reached out to me in regret of receiving the vaccine and it is important to remember you are not alone and to keep faith and pray for healing and resolution.

The protocols below will also be very helpful for anyone who has suffered from a vaccine injury in the past. Unbeknownst to many, there are many people who suffer from vaccine injury and a lot of these injuries go undiagnosed and/or mistreated. Many Chronic diseases, illnesses, neurological disorders, cancers, etc. are triggered by vaccines. There is a reason they are considered a “mystery” and “incurable”.

Cancer and disease are billion-dollar industries. There is no money in “The Cure” and the pharmaceutical industry knows this.

***“There is no money in healthy people.”***

Blog Post - Click Here:

Over 1,000 Scientific Studies That Prove The COVID-19 Vaccines Are Dangerous (zinglepathy.com)

Speech to World Health Organization  
Council on Eugenics, Feb. 25, 2009

*Alphon Frother*

part of U.N. "Once the herd accepts mandatory forcible vaccination, it's game over!"

Depopulation should be the highest priority of foreign policy towards the third world.  
--Henry Kissinger

They will accept anything—forcible blood or organ donation—for the "greater good."  
We can genetically modify children and sterilize them—for the "greater good."  
Control sheep minds and you control the herd. Vaccine makers stand to make billions, and many of you in this room today are investors. It's a big win-win!  
We thin out the herd and the herd pays us for providing extermination services.  
Now, what's for lunch, huh?"

World Health Organization

Jacob Rothschild  
IMF, WorldBank

Henry Kissinger

# For 1-on-1 Consultation & Guidance

**For 1-on-1 Consultation & Guidance With Me - Please**

**Click Here: [Naturopathic & Herbal Healing](#)**

**[Consultation/Guidance | Etsy](#) : [www.ZinglepathyRx.net](http://www.ZinglepathyRx.net)**

# Vaccine Injuries Connected To Major Health Illnesses

## Frequently reported Neurological adverse effects

Adverse effect		Vaccines
Demyelination disease	Multiple sclerosis (MS)	Hepatitis B vaccine <a href="#">50</a>
	Acute disseminated encephalomyelitis (ADEM)	Human papillomavirus vaccine <a href="#">51</a>
	Transverse myelitis	Influenza vaccine
	Optic neuritis	Rabies vaccine <a href="#">52</a>
		Yellow fever vaccine <a href="#">53</a>
Guillain-Barré syndrome (GBS)		Influenza vaccine <a href="#">54</a>
		Oral polio vaccine
		Tetanus vaccines <a href="#">55</a>
Encephalopathy		Whole-cell pertussis vaccine <a href="#">56</a>
		Influenza Vaccine
Seizure		Diphtheria, tetanus toxoids and whole-cell pertussis vaccine (DTP)
		Measles, mumps, and rubella vaccine (MMR) <a href="#">9</a>
Autism		MMR <a href="#">57</a> , <sup>a</sup>

<sup>a</sup>The original manuscript had been withdrawn.

---

**Vaccine Injury is nothing new... it's just rarely talked about...**

**Vaccine injuries are more common than most people know.**

---

This post will include the following sections below:

- [Vaccination as Contamination](#)
  - [Aseptic Meningitis and the MMR](#)
  - [Vaccinations and Leukemia/Lymphomas](#)
  - [Vaccines and Chromosome Changes Leading to Mutations](#)
  - [Vaccines and Autoimmunity](#)
  - [Vaccinations and Diabetes](#)
  - [Other Articles Linking Diabetes to Vaccines](#)
  - [Vaccines and Nervous System Changes](#)
  - [Vaccines and Demyelination](#)
  - [Vaccinations and Seizures](#)
  - [Vaccines and Brain Swelling](#)
  - [Vaccines and Neurological Damage](#)
  - [Vaccinations and Unexplained Diseases](#)
  - [Vaccines and Metabolism](#)
  - [Vaccines and Skin Disorders](#)
  - [The Polio Vaccine and Cancer](#)
  - [Vaccinations and Autism](#)
  - [Resolving and Reversing Vaccine Injury](#)
-

For More Information On Vaccine Injury Studies: [Maybe It's 'Genetics'](#)  
[OR Maybe It's a VACCINE INJURY - A Compilation Of Historical](#)  
[Vaccine Injury Studies \(zinglepathy.com\)](#)

Blog Post - Click Here:  
[Over 1,000 Scientific Studies That Prove The COVID-19 Vaccines](#)  
[Are Dangerous \(zinglepathy.com\)](#)

## Covid-19 Vaccine Inserts & Warnings

FDA NEWS RELEASE

## Coronavirus (COVID-19) Update: June 25, 2021

 Share

 Tweet

 Email

### For Immediate Release:

June 25, 2021

The U.S. Food and Drug Administration (FDA) continued to take action in the ongoing response to the COVID-19 pandemic:

- Today, the FDA is announcing revisions to the patient and provider fact sheets for the Moderna and Pfizer-BioNTech COVID-19 vaccines regarding the suggested increased risks of myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the tissue surrounding the heart) following vaccination. For each vaccine, the Fact Sheet for Healthcare Providers Administering Vaccine (Vaccination Providers) has been revised to include a warning about myocarditis and pericarditis and the Fact Sheet for Recipients and Caregivers has been revised to include information about myocarditis and pericarditis. This update

## Pfizer-BioNTech - Drug Insert

In Study 2, among participants 16 through 55 years of age who had received at least 1 dose of vaccine or placebo (COMIRNATY = 12,995; placebo = 13,026), serious adverse events from Dose 1 up to the participant unblinding date in ongoing follow-up were reported by 103 (0.8%) COMIRNATY recipients and 117 (0.9%) placebo recipients. In a similar analysis, in participants 56 years of age and older (COMIRNATY = 8,931; placebo = 8,895), serious adverse events were reported by 165 (1.8%) COMIRNATY recipients and 151 (1.7%) placebo recipients who received at least 1 dose of COMIRNATY or placebo, respectively. In these analyses, 58.2% of study participants had at least 4 months of follow-up after Dose 2. Among participants with confirmed stable HIV infection serious adverse events from Dose 1 up to the participant unblinding date in ongoing follow-up were reported by 2 (2%) COMIRNATY recipients and 2 (2%) placebo recipients.

In the analysis of blinded, placebo-controlled follow-up, there were no notable patterns between treatment groups for specific categories of serious adverse events (including neurologic, neuro-inflammatory, and thrombotic events) that would suggest a causal relationship to COMIRNATY. In the analysis of unblinded follow-up, there were no notable patterns of specific categories of serious adverse events that would suggest a causal relationship to COMIRNATY.

### 6.2 Postmarketing Experience

The following adverse reactions have been identified during postmarketing use of COMIRNATY, including under Emergency Use Authorization. Because these reactions are reported voluntarily from a population of uncertain size, it is not always possible to reliably estimate their frequency or establish a causal relationship to vaccine exposure.

Cardiac Disorders: myocarditis, pericarditis

Gastrointestinal Disorders: diarrhea, vomiting

Immune System Disorders: severe allergic reactions, including anaphylaxis, and other hypersensitivity reactions (e.g., rash, pruritus, urticaria, angioedema)

Musculoskeletal and Connective Tissue Disorders: pain in extremity (arm)

Overall, 11,253 (51.1%) participants in the COMIRNATY group and 11,316 (51.4%) participants in the placebo group had follow-up time between  $\geq 4$  months to  $< 6$  months after Dose 2 in the blinded placebo-controlled follow-up period with an additional 1,778 (8.1%) and 1,304 (5.9%) with  $\geq 6$  months of blinded follow-up time in the COMIRNATY and placebo groups, respectively.

A total of 12,006 (54.5%) participants originally randomized to COMIRNATY had  $\geq 6$  months total (blinded and unblinded) follow-up after Dose 2.

In an analysis of all unsolicited adverse events reported following any dose, through 1 month after Dose 2, in participants 16 years of age and older (N=43,847; 21,926 COMIRNATY group vs. 21,921 placebo group), those assessed as adverse reactions not already captured by solicited local and systemic reactions were nausea (274 vs. 87), malaise (130 vs. 22), lymphadenopathy (83 vs. 7), asthenia (76 vs. 25), decreased appetite (39 vs. 9), hyperhidrosis (31 vs. 9), lethargy (25 vs. 6), and night sweats (17 vs. 3).

In analyses of all unsolicited adverse events in Study 2 from Dose 1 up to the participant unblinding date, 58.2% of study participants had at least 4 months of follow-up after Dose 2. Among participants 16 through 55 years of age who received at least 1 dose of study vaccine, 12,995 of whom received COMIRNATY and 13,026 of whom received placebo, unsolicited adverse events were reported by 4,396 (33.8%) participants in the COMIRNATY group and 2,136 (16.4%) participants in the placebo group. In a similar analysis in participants 56 years of age and older that included 8,931 COMIRNATY recipients and 8,895 placebo recipients, unsolicited adverse events were reported by 2,551 (28.6%) participants in the COMIRNATY group and 1,432 (16.1%) participants in the placebo group. Among participants with confirmed stable HIV infection that included 100 COMIRNATY recipients and 100 placebo recipients, unsolicited adverse events were reported by 29 (29%) participants in the COMIRNATY group and 15 (15%) participants in the placebo group. The higher frequency of reported unsolicited adverse events among COMIRNATY recipients compared to placebo recipients was primarily attributed to events that are consistent with adverse reactions solicited among participants in the reactogenicity subset (Table 3 and Table 4).

Throughout the placebo-controlled safety follow-up period, Bell's palsy (facial paralysis) was reported by 4 participants in the COMIRNATY group and 2 participants in the placebo group. Onset of facial paralysis was Day 37 after Dose 1 (participant did not receive Dose 2) and Days 3, 9, and 48 after Dose 2. In the placebo group the onset of facial paralysis was Day 32 and Day 102. Currently available information is insufficient to determine a causal relationship with the vaccine. In the analysis of blinded, placebo-controlled follow-up, there

were no other notable patterns or numerical imbalances between treatment groups for specific categories of non-serious adverse events (including other neurologic or neuro-inflammatory, and thrombotic events) that would suggest a causal relationship to COMIRNATY. In the analysis of unblinded follow-up, there were no notable patterns of specific categories of non-serious adverse events that would suggest a causal relationship to COMIRNATY.

## 5 WARNINGS AND PRECAUTIONS

## Moderna Vaccine - Drug Insert

### 5.1 Management of Acute Allergic Reactions

Appropriate medical treatment to manage immediate allergic reactions must be immediately available in the event an acute anaphylactic reaction occurs following administration of SPIKEVAX.

### 5.2 Myocarditis and Pericarditis

Postmarketing data demonstrate increased risks of myocarditis and pericarditis, particularly within 7 days following the second dose. The observed risk is higher among males under 40 years of age than among females and older males. The observed risk is highest in males 18 through 24 years of age. Although some cases required intensive care support, available data from short-term follow-up suggest that most individuals have had resolution of symptoms with conservative management. Information is not yet available about potential long-term sequelae. The CDC has published considerations related to myocarditis and pericarditis after vaccination,

including for vaccination of individuals with a history of myocarditis or pericarditis (<https://www.cdc.gov/vaccines/covid-19/clinical-considerations/myocarditis.html>).

**FDA warnings:** In July, the FDA attached a warning to the Johnson & Johnson vaccine after rare cases of the neurological disorder Guillain-Barré syndrome were reported in a small number of vaccination recipients. Most of the cases occurred within 42 days after vaccination.

**FDA WARNING: Johnson & Johnson Vaccine**  
In April, the FDA added a warning label after ending a pause on the vaccine it had recommended “out of an abundance of caution” over an uncommon, but potentially serious, blood clotting disorder that occurred in a small number of recipients.

In December, the FDA updated its fact sheet on the shot to include information about the rare but serious blood clotting disorder called thrombosis with thrombocytopenia syndrome (TTS) associated with the vaccine. The agency still says the risks of the virus are greater than the risks of the J&J vaccine.

**[2021]**

## WARNINGS

### Management of Acute Allergic Reactions

Appropriate medical treatment to manage immediate allergic reactions must be immediately available in the event an acute anaphylactic reaction occurs following administration of the Janssen COVID-19 Vaccine.

Monitor Janssen COVID-19 Vaccine recipients for the occurrence of immediate adverse reactions according to the Centers for Disease Control and Prevention guidelines (<https://www.cdc.gov/vaccines/covid-19/clinical-considerations/managing-anaphylaxis.html>).

### Thrombosis with Thrombocytopenia Syndrome (TTS)

Reports to the Vaccine Adverse Events Reporting System (VAERS), a passive surveillance system, provide evidence for an increased risk of thrombosis with thrombocytopenia syndrome (TTS) with onset of symptoms approximately one to two weeks after administration of the Janssen COVID-19 Vaccine. An analysis of VAERS reports of TTS following the receipt of the Janssen COVID-19 Vaccine used the following case definition:

- a thrombosis in an unusual location for a thrombus (i.e., cerebral vein, visceral artery or vein, extremity artery, central artery or vein) and new-onset thrombocytopenia (i.e., platelet count  $<150,000/\mu\text{L}$ ) occurring any time after vaccination; or
- new-onset thrombocytopenia (i.e., platelet count  $<150,000/\mu\text{L}$ ), thrombosis in an extremity vein or pulmonary artery in the absence of thrombosis at an unusual location, and a positive anti-PF4 antibody ELISA test or functional Heparin-Induced Thrombocytopenia (HIT) platelet test occurring any time after vaccination.

Cases of TTS following administration of the Janssen COVID-19 Vaccine have been reported in males and females, in a wide age range of individuals 18 years and older, with the highest reporting rate (approximately 1 case per 100,000 doses administered) in females ages 30-49 years; overall, approximately 15% of TTS cases have been fatal. Currently available evidence supports a causal relationship between TTS and the Janssen COVID-19 Vaccine. The clinical course of these events shares features with autoimmune heparin-induced thrombocytopenia. In individuals with suspected TTS following administration of the Janssen COVID-19 Vaccine, the use of heparin may be harmful and alternative treatments may be needed. Consultation with hematology specialists is strongly recommended. The American Society of Hematology has published considerations relevant to the diagnosis and treatment of TTS following administration of the Janssen COVID-19 Vaccine (<https://www.hematology.org/covid-19/vaccine-induced-immune-thrombotic-thrombocytopenia>). (see Full EUA Prescribing Information).

### Immune Thrombocytopenia (ITP)

Reports of adverse events following use of the Janssen COVID-19 Vaccine under emergency use authorization suggest an increased risk of immune thrombocytopenia (ITP) during the 42 days following vaccination. Individuals with a history of ITP should discuss with their healthcare

Revised: JAN/31/2022

## Johnson & Johnson - Drug Insert

provider the risk of ITP and the potential need for platelet monitoring following vaccination with the Janssen COVID-19 Vaccine.

### Guillain-Barré Syndrome

Reports of adverse events following use of the Janssen COVID-19 Vaccine under emergency use authorization suggest an increased risk of Guillain-Barré syndrome during the 42 days following vaccination.

### Altered Immunocompetence

Immunocompromised persons, including individuals receiving immunosuppressant therapy, may have a diminished immune response to the Janssen COVID-19 Vaccine.

### Syncope

Syncope (fainting) may occur in association with administration of injectable vaccines. Procedures should be in place to avoid injury from fainting.

### Limitations of Vaccine Effectiveness

The Janssen COVID-19 Vaccine may not protect all vaccinated individuals.

## ADVERSE REACTIONS

## Johnson & Johnson - Drug Insert

### Adverse Reactions in Clinical Trials

Adverse reactions reported in a clinical trial following administration of the Janssen COVID-19 Vaccine include injection site pain, headache, fatigue, myalgia, nausea, fever, injection site erythema and injection site swelling. In clinical studies, severe allergic reactions, including anaphylaxis, have been reported following administration of the Janssen COVID-19 Vaccine (*see Full EUA Prescribing Information*).

### Adverse Reactions Identified during Post Authorization Use

Anaphylaxis and other severe allergic reactions, thrombosis with thrombocytopenia, Guillain-Barré syndrome, and capillary leak syndrome have been reported following administration of the Janssen COVID-19 Vaccine during mass vaccination outside of clinical trials.

Additional adverse reactions, some of which may be serious, may become apparent with more widespread use of the Janssen COVID-19 Vaccine.

### USE WITH OTHER VACCINES

There is no information on the co-administration of the Janssen COVID-19 Vaccine with other vaccines.

### INFORMATION TO PROVIDE TO VACCINE RECIPIENTS/CAREGIVERS

As the vaccination provider, you must communicate to the recipient or their caregiver, information consistent with the “Fact Sheet for Recipients and Caregivers” (and provide a copy or direct the

Revised: JAN/31/2022

## Vaccine Insert Source Links:

Moderna Insert: [Moderna COVID-19 Vaccine Health Care Provider Fact Sheet \(fda.gov\)](#)

Pfizer-BioNTech: [Package Insert Comirnaty \(purple cap\) \(fda.gov\)](#)

Janssen (J&J): [Janssen COVID-19 Vaccine EUA Fact Sheet for Recipients and Caregivers \(fda.gov\)](#)

Blog Post - Click Here:

[Over 1,000 Scientific Studies That Prove The COVID-19 Vaccines Are Dangerous \(zinglepathy.com\)](#)

## Undisclosed Covid-19 Vaccine Ingredients List

## Undisclosed Covid-19 Vaccine Ingredients List:

Non-disclosed Ingredients	Pfizer/Biontech	Moderna	Janssen (JNJ)	AstraZeneca	Toxicological Symptoms:	Detox With:
Aluminum [nanoparticles]	YES	YES			Neurotoxin – can sneak past the blood-brain barrier with ease: Alzheimer's disease, amyotrophic lateral sclerosis, anemia and other blood disorders, colic, fatigue, dementia/dialectica, kidney and liver dysfunctions, neuromuscular disorders, osteomalacia, Parkinson's disease	BioSil, Enterosgel, Zeolite
Bismuth [nanoparticles]	YES				Gingivitis, Loss of weight, Loss of appetite, Albuminuria (the presence of albumin in the urine, typically as a symptom of kidney disease.), Diarrhea, Skin reactions, Skin allergies to cosmetics & personal use products, Headaches, Fever, Depression, Kidney disease, Liver damage, Anemia, Ulcerative stomatitis, Dermatitis	
Cadmium [nanoparticles]		YES			This highly toxic nano particulate composition are quantum dots of cadmium selenide which are cytotoxic and genotoxic. Hypertension, arthritis, diabetes, anemia, arteriosclerosis, impaired bone healing, cancer, cardiovascular disease, cirrhosis, reduced fertility, hyperlipidemia, hypoglycemia, headaches, osteoporosis, kidney disease, schizophrenia, and strokes.	Zeolite
Calcium		YES				
Carbon [nanoparticles]	YES	YES			Highly magnetic and can trigger pathological blood coagulation and "The Corona Effect" or "The Spike Protein Effect" creation from the degeneration of the cell membrane due to interactions with other dipoles. "The CORONA EFFECT" on the red blood cells with showing "The SPIKED PROTEIN EFFECT" both caused by decompensated acidosis of the interstitial and then vascular fluids from an acidic lifestyle and specifically, exposure to toxic pulsating electro-magnetic fields at 2-4gHz or higher, chemical poisoning from the food and water ingested, toxic acidic air pollution, chem-trails and to top-it-all-off a nano particulate chemical laden CoV-19 inoculation.	Star Anise/Fennel, C60, Pine Needle Tea, Schizandra Berry, St. John's Wort, Gingko Biloba Leaf, Quercetin/HCO, Ivermectin, Dandelion Leaf, Chlorine Dioxide (CDS)
Chloride	YES					
Chlorine (From Saline Solution)	YES	YES	YES	YES		
Chromium	YES		YES	YES	Weight loss, anemia, thrombocytopenia, liver dysfunction, renal failure, rhabdomyolysis, dermatitis, and hypoglycemia	Zeolite
Copper [nanoparticles]	YES	YES		YES	Acne, adrenal hyperactivity and/or insufficiency, agoraphobia, allergies, hair loss, anemia, anxiety, arthritis, autism, cancer, chronic candida albicans infection, depression, elevated cholesterol, cystic fibrosis, depression, diabetes, dyslexia, elevated estrogen, failure to thrive, fatigue, fears, fractures of the bones, headaches, heart attacks, hyperactivity, hypertension, hypothyroidism, infections, inflammation, insomnia, iron storage diseases, kidney and liver dysfunctions, decreased libido, multiple sclerosis, nervousness, osteoporosis, panic attacks, premenstrual syndrome, schizophrenia, strokes, tooth decay and vitamin C and other vitamin deficiencies.	Zeolite
Ethylene Alcohol	YES	YES		YES	Carcinogenic and genotoxic.	
Graphene Oxide (GO)	YES	YES	YES	YES	Creates thromboses, causes blood clots, trigger cytokine storm, pneumonia, inflammation of the mucous membranes, passes through the blood-brain barrier.	Chlorine dioxide – neutralizes spikes, NAC/Glutathione – neutralizes GO. Rav Garlic Cloves detoxes GO
Iron [nanoparticles]	YES	YES	YES	YES		

Non-disclosed Ingredients	Pfizer/Biontech	Moderna	Janssen (JNJ)	AstraZeneca	Toxicological Symptoms:	Detox With:
Lead		YES			Abdominal pain, adrenal insufficiency, anemia, arthritis, arteriosclerosis, attention deficit, back problems, blindness, cancer, constipation, convulsions, deafness, depression, diabetes, dyslexia, epilepsy, fatigue, gout, impaired glycogen storage, hallucinations, hyperactivity, impotency, infertility, inflammation, kidney dysfunction, learning disabilities, diminished libido, migraine headaches, multiple sclerosis, psychosis, thyroid imbalances, and tooth decay.	Zeolite, Chlorella, Ecklonia Cava, Humic Fulvic Acid, Modified Citrus Pectin, Purified Silica
Magnesium		YES				Zeolite
Manganese			YES		Psychosis, impaired speech tremors, loss of coordination, muscular weakness	Zeolite
Nickel			YES	YES	Cancer (oral and intestinal), depression, heart attacks, hemorrhages, kidney dysfunction, low blood pressure, malaise, muscle tremors and paralysis, nausea, skin problems, tetany, and vomiting.	Zeolite
Nitrogen [nanoparticles]	YES	YES				
Oxygen [nanoparticles]	YES	YES				
Oxygen Chromium	YES					
Phosphorus [nanoparticles]	YES	YES				
Poly-Ethylene Glycol (PEG)	YES	YES		YES	Carcinogenic and genotoxic.	
Potassium		YES				
Selenium [nanoparticles]		YES			This highly toxic nano particulate composition are quantum dots of cadmium selenide which are cytotoxic and genotoxic.	
Silicon [nanoparticles]	YES	YES	YES	YES		
Sodium (From Saline Solution)	YES	YES	YES	YES		
Sulphur	YES			YES		Zeolite
Tin				YES		Zeolite, Iron, Calcium, Vitamin B2, Vitamin E, Zinc
Titanium	YES	YES			Lung diseases, Skin diseases (Eczema), Sinus congestion, Cancer, Vision problems, Sexual weakness (pre-mature ejaculation), Bright's disease (a disease involving chronic inflammation of the kidneys), Lupus (any of various diseases or conditions marked by inflammation of the skin).	
Trypanosoma Cruzi (parasite)	YES				Trypanosoma cruzi parasite of which several variants are lethal and is one of many causes of acquired immune deficiency syndrome or AIDS. [Atlas of Human Parasitology, 4th Edition, Lawrence Ash and Thomas Orithel, pages 174 to 178]	Zeolite, Enterosgel, Activated Charcoal
Vanadium	YES				Toxic amounts of vanadium can range from loss of appetite and common digestive problems (e.g., nausea, vomiting, stomach pain, gas, diarrhea, and loose stool) to damage of the liver and nervous system, kidney failure and lack of growth. Other symptoms of vanadium toxicity include irritation of mucous membranes and the upper respiratory tract, inflammation of stomach and intestines, skin rash, nose bleeding and internal bleeding, dizziness and headaches, cardiovascular problems, and behavioral changes. High doses of vanadium may cause anemia, low white blood cell counts, sudden drop in blood sugar levels (hypoglycemia), high cholesterol, fertility problems and birth defects.	Zeolite

[Source: <https://www.planet-today.com/2021/09/american-scientists-confirm-toxic.html#gsc.tab=0>]

## Historically Utilized Vaccine Ingredients - Used In The Past &/or Currently

## Historically Utilized Vaccine Ingredients - Used In The Past &/or Currently:

### Do you know what's in a vaccine?

- **ALUMINUM:** Implicated as a cause of brain damage. Suspected factor in ALZHEIMER's DISEASE, dementia, seizures, and comas.

## Material Safety Data Sheet

Aluminum (Metallic, Powder)

ACC# 01000

### Section 1 - Chemical Product and Company Identification

**MSDS Name:** Aluminum (Metallic, Powder)

**Catalog Numbers:** A559-500

**Synonyms:** None.

**Company Identification:**

Fisher Scientific

1 Reagent Lane

Fair Lawn, NJ 07410

**For information, call:** [201-796-7100](tel:201-796-7100)

**Emergency Number:** [201-796-7100](tel:201-796-7100)

**For CHEMTREC assistance, call:** [800-424-9300](tel:800-424-9300)

**For International CHEMTREC assistance, call:** [703-527-3887](tel:703-527-3887)

### Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
7429-90-5	Aluminum	100	231-072-3

### Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Appearance: silver-gray powder.

**Danger!** Dust may form flammable or explosive mixture with air, especially when damp. Reacts violently and/or explosively with water, steam or moisture. May ignite or explode on contact with moist air. May cause eye and skin irritation. May cause respiratory tract irritation. Air sensitive.

**Target Organs:** Lungs, eyes, skin.

### Potential Health Effects

**Eye:** May cause eye irritation.

**Skin:** May cause skin irritation. Low hazard for usual industrial handling. No sensitizing effects known.

**Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

**Inhalation:** May cause respiratory tract irritation. May cause respiratory difficulty and coughing.

**Chronic:** Aluminum may be implicated in **Alzheimer's disease**. Inhalation of aluminum containing dusts may cause pulmonary disease.

Aluminum	Adjuvant	Adacel	Tdap	0.33 mg
Aluminum	Adjuvant	Bexsero	Meningococcal Group B	0.519 mg
Aluminum	Adjuvant	BioThrax	Anthrax	1.2 mg/mL
Aluminum	Adjuvant	Boostrix	Tdap	≤0.39 mg
Aluminum	Adjuvant	Daptacel	DTaP	0.33 mg
Aluminum	Adjuvant	DT	DT	1.5 mg aluminum phosphate
Aluminum	Adjuvant	Engerix-B	HepB	0.5 mg/mL
Aluminum	Adjuvant	Gardasil	HPV	225 mcg
Aluminum	Adjuvant	Gardasil 9	HPV	500 mcg
Aluminum	Adjuvant	Havrix	HepA	0.5 mg/mL
Aluminum	Adjuvant	Infanrix	DTaP	≤0.625 mg
Aluminum	Adjuvant	Ixiaro	Japanese Encephalitis	250 mcg aluminum hydroxide
Aluminum	Adjuvant	Kinrix	DTaP+IPV	≤0.6 mg
Aluminum	Adjuvant	Pediarix	DTaP+HepB+IPV	≤0.85 mg
Aluminum	Adjuvant	PedvaxHIB	Hib+HepB	225 mcg
Aluminum	Adjuvant	Pentacel	DTaP+IPV+Hib	0.33 mg
Aluminum	Adjuvant	Prevnar 13	Pneumococcal 13-valent	125 mcg
Aluminum	Adjuvant	Quadracel	DTaP+IPV	0.33 mg
Aluminum	Adjuvant	Recombivax HB	HepB	0.5 mg/mL
Aluminum	Adjuvant	Td (generic)	Td	≤0.53 mg
Aluminum	Adjuvant	Tenivac	Td	0.33 mg
Aluminum	Adjuvant	Trumenba	Meningococcal Group B	0.25 mg
Aluminum	Adjuvant	Twinrix	HepA+HepB	0.45 mg
Aluminum	Adjuvant	Vaqa	HepA	0.45 mg

- **AMMONIUM SULFATE:** Suspected as a poison that can cause major damage to gastrointestinal, liver, nerve, and respiratory system.
- **BETA-PROPIOLACTONE:** Known to cause CANCER. Suspected as a poison that can cause major damage to gastrointestinal, liver, nerve, respiratory, skin, and other organs.

- **GELATIN:** Produced from selected pieces of calf and cattle skins, de-mineralized cattle bones, and pork skin. ALLERGIC reactions have been reported.
- **GENTAMICIN SULFATE & POLYMYXIN B [ANTIBIOTICS]:** ALLERGIC reactions can range from mild to life-threatening.
- **GENETICALLY MODIFIED YEAST, ANIMAL, BACTERIAL, & VIRAL DNA:** Can be incorporated into the recipient's DNA and cause unknown GENETIC MUTATIONS.
- **GLUTARALDEHYDE:** Poisonous if ingested. Causes BIRTH DEFECTS in experimental animals.
- **FORMALDEHYDE [FORMALIN]:** Major constituent of embalming fluid. Poisonous if ingested. Probable carcinogen. Suspected as a poison that can cause major damage to gastrointestinal, liver, respiratory, immune, nerve, and reproductive system.

# FORMALDEHYDE, 37% SOLUTION

FORMALIN

**POISON!**

**DANGER!**

**CAUSES BURNS. HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. MAY CAUSE ALLERGIC SKIN REACTION. COMBUSTIBLE.**

Potential cancer hazard. Exercise due care. Keep away from heat, sparks, and flame. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Keep in tightly closed container. Use with adequate ventilation. Wash thoroughly after handling.

**PRECAUTIONARY STATEMENTS:** Vapors may be irritating to skin, eyes, nose, and throat. Inhalation may cause severe irritation of the respiratory system. Contact with skin or eyes may cause severe irritation or burns. Ingestion may cause severe burning to mouth and stomach.

**Level of formaldehyde**

$\mu\text{g}=\text{mcg}$

**Low** – below  $50 \mu\text{g}/\text{m}^3$  (40ppb) No adverse effects should be noticed.

**Moderate** – above  $50 \mu\text{g}/\text{m}^3$  (40ppb) Long-term exposure may result in respiratory symptoms such as coughing and wheezing, and allergic sensitivity, especially in children.

**High** – above  $123 \mu\text{g}/\text{m}^3$  (100 ppb) the risk of irritation or burning sensation in eyes, nose and throat from short-term exposure grows with increasing concentration. There is also an increased likelihood of respiratory symptoms from long-term exposure.

Formaldehyde	Inactivating Agent	ActHIB	Hib	<0.5 mcg
Formaldehyde	Inactivating Agent	Adacel	Tdap	≤5 mcg
Formaldehyde	Preservative	BioThrax	Anthrax	100 mg/mL <b>100mg=100,000µg</b>
Formaldehyde	Inactivating Agent	Boostrix	Tdap	≤100 mcg (residual)
Formaldehyde	Inactivating Agent	Daptacel	DTaP	≤5 mcg (residual)
Formaldehyde	Inactivating Agent	DT	DT	<100 mcg
Formaldehyde	Inactivating Agent	Fluad	Influenza	≤10 mcg
Formaldehyde	Inactivating Agent	Fluarix Quad	Influenza	≤5 mcg
Formaldehyde	Inactivating Agent	Flulaval Quad	Influenza	≤25 mcg
Formaldehyde	Inactivating Agent	FluZone High Dose	Influenza	≤100 mcg
Formaldehyde	Inactivating Agent	FluZone Intradermal	Influenza	≤20 mcg
Formaldehyde	Inactivating Agent	FluZone Quad	Influenza	≤100 mcg
Formaldehyde	Inactivating Agent	Havrix	HepA	≤0.1 mg formalin
Formaldehyde	Inactivating Agent	Hiberix	Hib	<0.5 mcg (residual)
Formaldehyde	Inactivating Agent	Infanrix	DTaP	≤100 mcg (residual)
Formaldehyde	Inactivating Agent	IPOL	Polio	≤0.02%
Formaldehyde	Inactivating Agent	Ixiaro	Japanese Encephalitis	≤200 ppm
Formaldehyde	Inactivating Agent	JE-Vax	Japanese Encephalitis	<100 mcg
Formaldehyde	Inactivating Agent	Kinrix	DTaP+IPV	≤100 mcg (residual)
Formaldehyde	Inactivating Agent	Menactra	Meningococcal	<2.66 mcg
Formaldehyde	Inactivating Agent	MenQuadfi	Meningococcal	<3 mcg/mL
Formaldehyde	Inactivating Agent	Menveo	Meningococcal	≤0.30 mcg
Formaldehyde	Inactivating Agent	Pediarix	DTaP+HepB+IPV	≤100 mcg (residual)
Formaldehyde	Inactivating Agent	Pentacel	DTaP+IPV+Hib	≤2 mcg (residual)
Formaldehyde	Inactivating Agent	Quadracel	DTaP+IPV	≤5 mcg
Formaldehyde	Inactivating Agent	Recombivax HB	HepB	<15 mcg/mL (residual)
Formaldehyde	Inactivating Agent	TDVAX	Td	100 mcg
Formaldehyde	Inactivating Agent	Tenivac	Td	≤5 mcg (residual)
Formaldehyde	Inactivating Agent	Twinrix	HepA+HepB	≤0.1 mg formalin
Formaldehyde	Inactivating Agent	Typhim Vi	Typhoid	≤100 mcg (residual)
Formaldehyde	Inactivating Agent	Vaqta	HepA	<0.8 mcg

- **HUMAN & ANIMAL CELLS:** Human cells from aborted FETAL TISSUE and human albumin, pig blood, horse blood, rabbit brain, guinea pig, dog kidney, cow heart, monkey kidney, chicken embryo, chicken egg, duck egg, calf serum, sheep blood, and others. Aborted human diploid cell cultures (WI-38 & MRC-5).
- **LATEX RUBBER:** Can cause life-threatening allergic reactions.
- **MERCURY [THIMEROSAL]:** One of the most poisonous substances known. Has an affinity for the brain, gut, liver,

bone marrow, and kidneys. Minute amounts can cause nerve damage. There is strong correlation between mercury toxicity and AUTISM.

- **MICRO-ORGANISMS:** Dead and alive virus and bacteria or their toxins. The polio vaccine was contaminated with a monkey virus (Simian Virus 40 – “SV40”), now turning up in human bone, lung-lining (mesothelioma), brain tumors, and lymphomas.
- **MONOSODIUM GLUTAMATE [MSG, GLUTAMATE, GLUTAMATE ACID]:** A NEUROTOXIN that’s being studied for mutagenic, teratogenic (developmental and monstrosities) and reproductive effects. Allergic reactions can range from mild to severe.
- **NEOMYCIN SULFATE [ANTIBIOTIC]:** Interferes with vitamin B6 absorption. An error in the uptake of B6 can cause a rare form of epilepsy and mental retardation. Allergic reactions can range from mild to life threatening.
- **PHENOL/PHENOXYETHANOL [2-PE]:** Used as anti-freeze. TOXIC to all cells and capable of disabling the immune system’s primary response mechanism.
- **POLYSORBATE 80:** Known to cause CANCER in animals.

- **TRI(N)BUTYLPHOSPHATE:** Suspected to be a poison to the kidney and nerves.

Don't believe me? Check out the CDC's Vaccine Excipient list below:

**Vaccine Excipient Table**

Vaccine (Trade Name)	Package Insert Date	Contains <sup>(a)</sup>
Adenovirus	10/2019	monosodium glutamate, sucrose, D-mannose, D-fructose, dextrose, human serum albumin, potassium phosphate, pladone C, anhydrous lactose, microcrystalline cellulose, polacrillin potassium, magnesium stearate, cellulose acetate phthalate, alcohol, acetone, castor oil, FD&C Yellow #6 aluminum lake dye
Anthrax (Biothrax)	11/2015	aluminum hydroxide, sodium chloride, benzethonium chloride, formaldehyde
BCG (Tice)	02/2009	glycerin, asparagine, citric acid, potassium phosphate, magnesium sulfate, iron ammonium citrate, lactose
Cholera (Vaxchora)	06/2016	ascorbic acid, hydrolyzed casein, sodium chloride, sucrose, dried lactose, sodium bicarbonate, sodium carbonate
Dengue (Dengvaxia)	06/2019	sodium chloride, essential amino acids (including L-phenylalanine), non-essential amino acids, L-arginine hydrochloride, sucrose, D-trehalose dihydrate, D-sorbitol, trometamol, urea
DT (Sanofi)	06/2018	aluminum phosphate, isotonic sodium chloride, formaldehyde
DTaP (Daptacel)	01/2021 <sup>(b)</sup>	aluminum phosphate, formaldehyde, glutaraldehyde, 2-phenoxyethanol
DTaP (Infanrix)	01/2021 <sup>(b)</sup>	formaldehyde, aluminum hydroxide, sodium chloride, polysorbate 80 (Tween 80)
DTaP-IPV (Kinrix)	01/2021 <sup>(b)</sup>	formaldehyde, aluminum hydroxide, sodium chloride, polysorbate 80 (Tween 80), neomycin sulfate, polymyxin B
DTaP-IPV (Quadracel)	02/2021	formaldehyde, aluminum phosphate, 2-phenoxyethanol, polysorbate 80, glutaraldehyde, neomycin, polymyxin B sulfate, bovine serum albumin
DTaP-HepB-IPV (Pediatrix)	01/2021 <sup>(b)</sup>	formaldehyde, aluminum hydroxide, aluminum phosphate, sodium chloride, polysorbate 80 (Tween 80), neomycin sulfate, polymyxin B, yeast protein
DTaP-IPV/Hib (Pentacel)	12/2019	aluminum phosphate, polysorbate 80, sucrose, formaldehyde, glutaraldehyde, bovine serum albumin, 2-phenoxyethanol, neomycin, polymyxin B sulfate
DTaP-IPV-Hib-HepB (Vaxelis)	10/2020	polysorbate 80, formaldehyde, glutaraldehyde, bovine serum albumin, neomycin, streptomycin sulfate, polymyxin B sulfate, ammonium thiocyanate, yeast protein, aluminum
Ebola Zaire (ERVEBO)	01/2021 <sup>(b)</sup>	Tromethamine, rice-derived recombinant human serum albumin, host cell DNA, benzonase, rice protein
Hib (ActHIB)	05/2019	sodium chloride, formaldehyde, sucrose
Hib (Hiberix)	04/2018	formaldehyde, sodium chloride, lactose

Hib (PedvaxHIB)	01/2021 <sup>(b)</sup>	amorphous aluminum hydroxyphosphate sulfate, sodium chloride
Hep A (Havrix)	01/2021 <sup>(b)</sup>	MRC-5 cellular proteins, formalin, aluminum hydroxide, amino acid supplement, phosphate-buffered saline solution, polysorbate 20, neomycin sulfate, aminoglycoside antibiotic
Hep A (Vaqta)	01/2021 <sup>(b)</sup>	amorphous aluminum hydroxyphosphate sulfate, non-viral protein, DNA, bovine albumin, formaldehyde, neomycin, sodium borate, sodium chloride, other process chemical residuals
Hep B (Engerix-B)	01/2021 <sup>(b)</sup>	aluminum hydroxide, yeast protein, sodium chloride, disodium phosphate dihydrate, sodium dihydrogen phosphate dihydrate
Hep B (Recombivax)	12/2018	formaldehyde, potassium aluminum sulfate, amorphous aluminum hydroxyphosphate sulfate, yeast protein
Hep B (Heplisav-B)	05/2020	yeast protein, yeast DNA, deoxycholate, phosphorothioate linked oligodeoxynucleotide, sodium phosphate, dibasic dodecahydrate, sodium chloride, monobasic dehydrate, polysorbate 80
Hep A/Hep B (Twinrix)	01/2021 <sup>(b)</sup>	MRC-5 cellular proteins, formalin, aluminum phosphate, aluminum hydroxide, amino acids, sodium chloride, phosphate buffer, polysorbate 20, neomycin sulfate, yeast protein
HPV (Gardasil 9)	08/2020	amorphous aluminum hydroxyphosphate sulfate, sodium chloride, L-histidine, polysorbate 80, sodium borate, yeast protein

Vaccine (Trade Name)	Package Insert Date	Contains <sup>(a)</sup>
Influenza (Afluria) Quadrivalent <sup>(c)</sup>	03/2021	sodium chloride, monobasic sodium phosphate, dibasic sodium phosphate, monobasic potassium phosphate, potassium chloride, calcium chloride, sodium taurodeoxycholate, ovalbumin, sucrose, neomycin sulfate, polymyxin B, beta-propiolactone, hydrocortisone, thimerosal (multi-dose vials)
Influenza (Fluad) Quadrivalent <sup>(c)</sup>	03/2021	squalene, polysorbate 80, sorbitan trioleate, sodium citrate dihydrate, citric acid monohydrate, neomycin, kanamycin, hydrocortisone, egg protein, formaldehyde
Influenza (Fluarix) Quadrivalent <sup>(c)</sup>	2021	octoxynol-10 (TRITON X-100), $\alpha$ -tocopheryl hydrogen succinate, polysorbate 80 (Tween 80), hydrocortisone, gentamicin sulfate, ovalbumin, formaldehyde, sodium deoxycholate, sodium phosphate-buffered isotonic sodium chloride
Influenza (Flublok) Quadrivalent <sup>(c)</sup>	03/2021	sodium chloride, monobasic sodium phosphate, dibasic sodium phosphate, polysorbate 20 (Tween 20), baculovirus and <i>Spodoptera frugiperda</i> cell proteins, baculovirus and cellular DNA, Triton X-100
Influenza (Flucelvax) Quadrivalent <sup>(c)</sup>	10/2021 <sup>(b)</sup>	Madin Darby Canine Kidney (MDCK) cell protein, phosphate buffered saline, protein other than HA, MDCK cell DNA, polysorbate 80, cetyltrimethylammonium bromide, and $\beta$ -propiolactone, thimerosal (multi-dose vials)
Influenza (Flulaval) Quadrivalent <sup>(c)</sup>	2021	ovalbumin, formaldehyde, sodium deoxycholate, $\alpha$ -tocopheryl hydrogen succinate, polysorbate 80, phosphate-buffered saline solution
Influenza (Fluzone) Quadrivalent <sup>(c)</sup>	2021	formaldehyde, egg protein, octylphenol ethoxylate (Triton X-100), sodium phosphate-buffered isotonic sodium chloride solution, thimerosal (multi-dose vials)
Influenza (Fluzone) High Dose <sup>(c)</sup>	07/2021	egg protein, octylphenol ethoxylate (Triton X-100), sodium phosphate-buffered isotonic sodium chloride solution, formaldehyde
Influenza (FluMist) Quadrivalent <sup>(c)</sup>	08/2021	monosodium glutamate, hydrolyzed porcine gelatin, arginine, sucrose, dibasic potassium phosphate, monobasic potassium phosphate, ovalbumin, gentamicin sulfate, ethylenediaminetetraacetic acid (EDTA)
IPV (Ipol)	01/2021 <sup>(b)</sup>	calf bovine serum albumin, 2-phenoxyethanol, formaldehyde, neomycin, streptomycin, polymyxin B, M-199 medium

Japanese Encephalitis (Ixiaro)	09/2018	aluminum hydroxide, protamine sulfate, formaldehyde, bovine serum albumin, host cell DNA, sodium metabisulphite, host cell protein
MenACWY (Menactra)	04/2018	sodium phosphate buffered isotonic sodium chloride solution, formaldehyde, diphtheria toxoid protein carrier
MenACWY (MenQuadfi)	01/2021 <sup>(b)</sup>	sodium chloride, sodium acetate, formaldehyde
MenACWY (Menveo)	07/2020	formaldehyde, CRM <sub>197</sub> protein
MenB (Bexsero)	01/2021 <sup>(b)</sup>	aluminum hydroxide, sodium chloride, histidine, sucrose, kanamycin
MenB (Trumenba)	2018	polysorbate 80, aluminum phosphate, histidine buffered saline
MMR (MMR-II)	12/2020	sorbitol, sucrose, hydrolyzed gelatin, recombinant human albumin, neomycin, fetal bovine serum, WI-38 human diploid lung fibroblasts
MMRV (ProQuad) (Frozen: Recombinant Albumin)	01/2021 <sup>(b)</sup>	MRC-5 cells including DNA and protein, sucrose, hydrolyzed gelatin, sodium chloride, sorbitol, monosodium L-glutamate, sodium phosphate dibasic, recombinant human albumin, sodium bicarbonate, potassium phosphate monobasic, potassium chloride, potassium phosphate dibasic, neomycin, bovine calf serum, other buffer and media ingredients
PCV13 (Prevnar 13)	08/2017	CRM <sub>197</sub> carrier protein, polysorbate 80, succinate buffer, aluminum phosphate
PPSV-23 (Pneumovax)	09/2020	isotonic saline solution, phenol
Rabies (Imovax)	10/2019	human albumin, neomycin sulfate, phenol red, beta-propiolactone
Rabies (RabAvert)	2018	chicken protein, polygeline (processed bovine gelatin), human serum albumin, potassium glutamate, sodium EDTA, ovalbumin, neomycin, chlortetracycline, amphotericin B
Rotavirus (RotaTeq)	01/2021 <sup>(b)</sup>	sucrose, sodium citrate, sodium phosphate monobasic monohydrate, sodium hydroxide, polysorbate 80, cell culture media, fetal bovine serum

Vaccine (Trade Name)	Package Insert Date	Contains <sup>(a)</sup>
Rotavirus (Rotarix)	01/2021 <sup>(b)</sup>	dextran, Dulbecco's Modified Eagle Medium (sodium chloride, potassium chloride, magnesium sulfate, ferric (III) nitrate, sodium phosphate, sodium pyruvate, D-glucose, concentrated vitamin solution, L-cystine, L-tyrosine, amino acids, L-glutamine, calcium chloride, sodium hydrogenocarbonate, and phenol red), sorbitol, sucrose, calcium carbonate, sterile water, xanthan [Porcine circovirus type 1 (PCV1) is present in Rotarix. PCV-1 is not known to cause disease in humans.]
Smallpox (Vaccinia) (ACAM2000)	03/2018	HEPES, 2% human serum albumin, 0.5 - 0.7% sodium chloride USP, 5% Mannitol USP, neomycin, polymyxin B, 50% Glycerin USP, 0.25% phenol USP
Td (Tenivac)	11/2019	aluminum phosphate, formaldehyde, sodium chloride
Td (TDVAX)	09/2018	aluminum phosphate, formaldehyde, thimerosal
Tdap (Adacel)	12/2020	aluminum phosphate, formaldehyde, 2-phenoxyethanol, glutaraldehyde
Tdap (Boostrix)	09/2020	formaldehyde, aluminum hydroxide, sodium chloride, polysorbate 80
Typhoid (Typhim Vi)	03/2020	formaldehyde, phenol, polydimethylsiloxane, disodium phosphate, monosodium phosphate, sodium chloride
Typhoid (Vivotif Ty21a)	9/2013	sucrose, ascorbic acid, amino acids, lactose, magnesium stearate, gelatin
Varicella (Varivax) Frozen	01/2021 <sup>(b)</sup>	sucrose, hydrolyzed gelatin, sodium chloride, monosodium L-glutamate, sodium phosphate dibasic, potassium phosphate monobasic, potassium chloride, MRC-5 human diploid cells including DNA & protein, sodium phosphate monobasic, EDTA, neomycin, fetal bovine serum
Yellow Fever (YF-Vax)	2/2019	sorbitol, gelatin, sodium chloride
Zoster (Shingles) (Shingrix)	01/2021 <sup>(b)</sup>	sucrose, sodium chloride, dioleoyl phosphatidylcholine (DOPC), 3-O-desacetyl-4'-monophosphoryl lipid A (MPL), QS-21 (a saponin purified from plant extract <i>Quillaja saponaria</i> Molina), potassium dihydrogen phosphate, cholesterol, sodium dihydrogen phosphate dihydrate, disodium phosphate anhydrous, dipotassium phosphate, polysorbate 80, host cell protein and DNA

[Source: <https://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/b/excipient-table-2.pdf?fbclid=IwAR0PYyTeX3DrTZ8U-Zf-hweoYnYw4sfMOXyXab41qDX9CO4qesm9QQXwhjY>]

## Covid-19 Vaccine Ingredients

## Covid-19 Vaccine Ingredients:

### What Ingredients are in the COVID-19 Vaccines?

Many people are curious to know what the ingredients are for the three currently available COVID-19 vaccines in the US.

Here is a breakdown of the three COVID vaccines and their ingredients:

- **Pfizer Vaccine:** The [full list of ingredients for the Pfizer vaccine](#) is:  
mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [[polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.  
**The Pfizer vaccine does not contain eggs, preservatives, or latex.**
- **Moderna Vaccine:** The [full list of ingredients for the Moderna vaccine](#) is:  
Messenger ribonucleic acid (mRNA), lipids (SM-102, polyethylene glycol [PEG] 2000 dimyristoyl glycerol [DMG], cholesterol, and 1,2-distearoyl-sn-glycero-3-phosphocholine [DSPC]), tromethamine, tromethamine hydrochloride, acetic acid, sodium acetate trihydrate, and sucrose.  
**The Moderna vaccine does not contain eggs, preservatives, or latex.**
- **Johnson & Johnson Vaccine:** The [full list of ingredients for the Johnson & Johnson vaccine](#) is:  
Recombinant, replication-incompetent adenovirus type 26 expressing the SARS-CoV-2 spike protein, citric acid monohydrate, trisodium citrate dihydrate, ethanol, 2 hydroxypropyl- $\beta$ -cyclodextrin (HBCD), polysorbate-80, sodium chloride.  
**The Johnson & Johnson vaccine does not contain eggs, preservatives, or latex.**

(Source: [What is the Full List of the COVID-19 Vaccine Ingredients? \(ct.gov\)](#))

# Vaccine Detoxification Protocol

## **Vaccine Detoxification Protocol**

The top 6 detoxing agents I recommend to detox and protect against shedding. (My reasoning will be explained below):

1. Zeobooost (Zeolite Powder)
2. Boron/Borax
3. Star Anise/Fennel
4. Chlorine Dioxide Solution (CDS)/MMS
5. NAC/Glutathione
6. Violet Ozone Ray High-Frequency Device

## **Zeoboost (Zeolite Powder) (Also helps cure cancer, autoimmune, autism, psoriasis, & more): To Detox The Heavy Metals**

### **90 Day Zeolite Detox Instructions:**

2 teaspoons of Zeoboost (Zeolite Powder) mixed in 16 oz of water 3 times a day or 3 teaspoons of Zeoboost (Zeolite Powder) mixed in 16 oz of water 2 times a day. I recommend starting with the 2 teaspoons and working your way up to the 3 teaspoons while your body adjusts. The powder does not have a taste so you will not need to worry about this. It is best to mix with water, to avoid the powder binding to anything prior to entering your body. You will follow this regiment for 90 days straight. You may notice some detox symptoms that may occur such as headaches and not being able to sleep within the first couple weeks of taking it. This is normal. If you experience sharp and/or uncomfortable pain, I would switch to a lower dose of only 1 teaspoon 3 times a day or less. Make sure NOT to handle the powder with metal. The powder binds to metal so DO NOT put in a metal container and make sure to use either plastic or glass. It is recommended that because Zeoboost is a binder, make sure to take it by itself and leave a 1-hour window between taking the Zeoboost and food/medication/supplements.

After the 90 days, you can cycle off of the Zeoboost for a week or two, and then take daily maintenance doses of 2 teaspoons a day mixed in 16oz of water. It is best to continue taking Zeolite due to all the toxins we are still being exposed to in our air, food, and water, currently.

**Note:** 1 jar of Zeoboost (90g) lasts about 7 days so if you would like to do the 90-day detox, you will need about 15 jars total. You should notice a difference after 1 jar. You do not have to do the full 90 days consecutively, it is best to start as soon as possible and if there are gaps in between, this will not have any impact on your detox.

Zeoboost is what I used on my own personal journey, so I would highly recommend this brand. I also highly recommend Heiltropfen Brand. Please see conversions below to know how many jars will be needed to complete the 90-day detox. Both brands are highly recommended and I have used both.

### **90 Day Detox - Zeolite Powder Options:**

- **15 Total Jars = Zeoboost (90g per jar)**

Purchase Here: [Zeoboost: Clinoptilolite Zeolite Powder \(zinglepathyrx.net\)](https://zinglepathyrx.net/zeoboost)  
My 10% off discount code: CJZINGLE (all caps)

- **3 Total Jars = Heiltropfen Zeolite 1LB (454g per jar)**

Purchase Here: [Zeolite Powder 1 Pound | Ultra FINE Less-Than 2 µm | Clinoptilolite 95% | 3X Activated | Natural Mineral Dust \(zinglepathyrx.net\)](https://zinglepathyrx.net/zeolite-powder-1-pound)

- **6 Total Jars = Heiltropfen Zeolite 0.55LB (250g per jar)**

Purchase Here: [Zeolite Powder 250g - Ultra FINE Less-Than 2 µm | Clinoptilolite 95% | 3X Activated | Natural Mineral Dust \(zinglepathyrx.net\)](https://zinglepathyrx.net/zeolite-powder-250g)

### **Zeolite Cautions:**

- Taking too much zeolite without drinking enough water may cause dehydration and constipation so make sure you are well hydrated before starting a zeolite detox. To help prevent constipation, increase your fiber intake or supplement with magnesium.

- If you have major kidney problems, be cautious about your water intake and take minimum doses of zeolite.
- If you take more than 10g of zeolite powder per day over a very long period of time it may cause some loss of nutrition.
- DO NOT take iodine within 30 minutes of taking Zeolite
- DO NOT take zeolite at the same time as oil-based supplements, i.e. evening primrose oil or fish oil, as zeolite absorbs oil. Make sure to take these supplements at a separate time of day.
- DO NOT take zeolite at the same time as probiotics, as zeolite is antimicrobial.
- DO NOT take zeolite powder while you are taking a medication containing heavy metals, such as lithium, or containing platinum, which is found in some cancer medications. Instead, take zeolite after stopping the medication to help rid your body of the heavy metals.
- If you are having chemotherapy or radiation therapy, take zeolite before, between and after treatments but NOT during treatments.

## **Boron Tablets/Borax (also known to cure arthritis): To Detox The Nanotechnology**

I personally have followed the Borax protocol. You can also purchase Boron tablets. I would also recommend taking Borax baths. Tablets can be purchased online or in store. Please follow the usage instructions on the bottle for the Boron Tablets, because products may vary. Borax powder can be found in the laundry aisle of pretty much any grocery store or store selling laundry detergent items.

### **Borax Protocol Instructions:**

**BORON MINERAL: ONLY known nanobot replication inhibitor.**

**You can take Borax OR Boron Tablets but do not take both. Follow instructions for each below:**

**Borax Detox (20 Mule Team Borax): Drink 1 pinch (1/16 teaspoon) in 1 pint of filtered water once a day. Build up to 3 times a day over time.**

- Week 1 & 2: 1 pinch once daily.
- Week 3 & 4: 1 pinch twice daily.
- Week 5+: 1 pinch 3 times a day.

**OR**

### **Boron Tablets:**

- Week 1 & 2: 3mg of Boron
- Week 3 & 4: 3mg in the morning & 3mg in the evening
- Week 5 & 6: 3mg in the morning, 3mg midday, & 3mg in the evening
- Week 7+: 6mg in the morning & 6mg in the evening


**\*\*\*MAKE SURE TO LISTEN TO YOUR BODY ONCE YOU START INCREASING THE DOSE.\*\*\***

---

#### **BORAX DETOX BATH:**

1 Cup Baking Soda  
1 Cup Epsom Salt  
1 Cup 20 Mule Team Borax  
1 Cup Pink Himalayan Sea Salt (NEVER use white depleted-minerals table salt for any reason)

**\*\*\*SOAK AS LONG AS YOU CAN\*\*\***



---

**This mineral is intentionally depleted from the agricultural process.**

**Boron Benefits:**

- Cures Arthritis
- Hormone Balance
- Decalcify Pineal Gland
- Improved Cell Function
- Improved Wound Healing

- Absorption of Minerals
- Encourages Proper pH: Cancer cannot live in an alkaline environment.
- Healthy Blood Sugar
- Detoxifies The Liver
- Helps The Heart

**CANDIDA is an always-present fungus in the human body, there to help decompose the body after death. Taking a lot of antibiotics can cause candida overgrowth. Many suffer from it's overgrowth. Common Candida overgrowth symptoms include:**

- Fatigue
- Brain Fog
- Digestive Issues
- Sinus Infections
- Thrush
- Joint Pain
- Depression
- Urinary Tract Infections
- Recurring Yeast Infection
- Other Fungal Infections

**BORAX detoxes Fluoride from your body and brain. It raises your pH level from acid to alkaline. Cancer/Candida/Fungus/Nanobots cannot survive in a high alkaline pH environment.**

Purchase Boron Tablets Here: [Boron Supplements](http://www.zinglepathyRx.net) - [www.zinglepathyRx.net](http://www.zinglepathyRx.net)

**Star Anise and/or Fennel (Also known to help treat Autism): These are also an excellent source of shikimate or shikimic acid (which is known to neutralize the spike protein)**

1 full dropper under tongue and swallow 3 times daily. For at least 90 days.

## **WHY IS SHIKIMIC ACID IMPORTANT TO US?**

**Shikimic acid offers antiplatelet-aggregating activity, suggesting it helps halt blood clots.**

That study found that **pine needles provide about two-thirds the shikimic acid of star anise herb:**

Masson pine needles = **5.71%** shikimic acid  
Star anise = **8.95%** shikimic acid

That pine needle tea (**all the safe pine tree varieties**) **offers a solution to stop the vascular damage** (and is possibly an antidote against the effects of c o v i d vaccine transmission) is really good news!

**Fennel** is a plant in the carrot and celery family. It tastes sweet and licoricey and is also highly aromatic. Fennel has been used as medicine for thousands of years.

**The active ingredient in fennel seeds is shikimic acid.**

[Star anise](#) contains many medicinal compounds that contribute to its [long list of health benefits](#).

As concerns continue to mount over the threat to global health, the demand for star anise is on the rise.

(Source:

[https://www.researchgate.net/publication/277348748\\_Content\\_Analysis\\_of\\_Shikimic\\_Acid\\_in\\_the\\_Masson\\_Pine\\_Needles\\_and\\_Antiplatelet-aggregating\\_Activity](https://www.researchgate.net/publication/277348748_Content_Analysis_of_Shikimic_Acid_in_the_Masson_Pine_Needles_and_Antiplatelet-aggregating_Activity) )

(Source:

<https://www.naturalnews.com/2021-05-07-salk-institute-reveals-the-covid-spike-protein-causing-deadly-blood-clots.html> )


(Source:

[https://www.researchgate.net/publication/305639160\\_Anti-platelet\\_and\\_anti-thrombotic\\_effects\\_of\\_shikimic\\_acid\\_in\\_sedentary\\_population](https://www.researchgate.net/publication/305639160_Anti-platelet_and_anti-thrombotic_effects_of_shikimic_acid_in_sedentary_population) )

(Source: <https://draxe.com/nutrition/star-anise/> )

**Purchase Here:** [Star Anise Elixir | Etsy](#)- [www.zinglepathyRx.net](http://www.zinglepathyRx.net)

\$19.99 USD



# THE CURE FOR AUTISM IS CALLED SURAMIN

"How could we have know, a relatively cheap medication costing less than \$30 American dollars that has been around for almost a 100 years, was the answer? Only one shot given to kids with ADS who were non verbal and they began speaking in sentences within 9 hours" - Dr. Silvia Theos

**Chlorine Dioxide (CDS) or Miracle Mineral Supplement (MMS)**  
**Chlorine dioxide neutralizes and eliminates the spikes (also known to cure cancer & AIDS/HIV):**

*\*\*\*Vitamin C neutralizes this substance so in other words, do NOT use the chlorine dioxide protocol at the same time as any substance which has Vitamin C, or any other antioxidant, including immune builders. Wait at least a couple of days after discontinuing these treatments before starting the chlorine dioxide treatment.\*\*\**

Drink on an empty stomach. Mix 12 drops of part A with 12 drops of part B in 16oz of water. Allow to activate for 1 minute. Wait 30min to eat after drinking. After you have eaten wait 45min to begin drink again.

Days 1-2: Drink 2oz every hour

Days 3-4: Drink 4oz every hour

Days 5-6: Drink 6oz every hour

Days 7-Beyond: Drink 8oz every hour - Do this for as long as issues/symptoms persist & then once issues are gone switch to maintenance 2 drinks a day morning & evening.

Purchase Here: [CDS: Chlorine Dioxide Kit With HCL 4 Fl Oz | Etsy](https://www.zinglepathyRx.net) - [www.zinglepathyRx.net](http://www.zinglepathyRx.net)

MMS Background Information: [The Miracle Mineral Supplement \(educate-yourself.org\)](http://educate-yourself.org)



**NAC (N-acetyl cysteine): NAC/Glutathione neutralizes the Graphene Oxide, as well as spikes to some extent.**

NAC (N-acetyl cysteine) (accelerates detoxification and is considered a producer of the super detoxifier glutathione in the body) Dosage: 1200-2400 mg per day on an empty stomach. NAC is recommended to detoxify graphene oxide and SM-102. NAC is tough to find after the FDA recently made it illegal to purchase over the counter in the USA. Take NAC daily for at least 90 days. NAC can be taken daily for extended period of time. There are no known health damages caused by taking it daily for extended periods of time.

Purchase Here: [ZinglepathyRx | Etsy](#) - [www.zinglepathyRx.net](http://www.zinglepathyRx.net)

## Violet Ozone Ray High-Frequency Device

Violet Ray is an electrotherapy medical appliance used during the early 20th century. Nikola Tesla invented the basic construction of the Violet Ray prior to 1900. Tesla's coil is really an electrical resonant transformer circuit. Using a disruptive discharge coil with an interrupter that applies a low current, a high voltage, with a high frequency. Tesla introduced the first prototypes at the World's Columbian Exposition in 1893.

The Violet Ray appliance is a high-frequency, high voltage, low current source of static electricity. It can be applied to any part of the body. The Violet Ray brings a vigorous surge of rich, warm blood to any part of the body. Thereby it washes away the sediment of a disease, then strengthens and nourishes the tissues, and gives vigor and vitality to any part of the body that is treated.

### **SCIENTIFICALLY ACCEPTED EFFECTS OF VIOLET RAYS:**

- 1---Cause cells to absorb more oxygen.
- 2---Speed up burning of oxygen.
- 3---Increase elimination of waste.
- 4---Restore cells to health.
- 5---Increase blood supply in given area.
- 6---Stimulate secretions of glands.
- 7---Raise body heat without temperature.
- 8---Destroy germs.
- 9---Soothe the nerves; build nerve tissue.
- 10---Remove dead tissue and adhesions.

11---Lower blood pressure.

12---Promote normal growth.

### **AILMENTS SUCCESSFULLY TREATED WITH VIOLET RAYS:**

- Asthma
- Boils
- Brain Fag
- Bronchitis
- Catarrh
- Colds in Head
- Colds in Lungs
- Constipation
- Dandruff
- Deafness
- Dyspepsia

- Earache
- Eczema
- Eye Disease
- Falling Hair
- Hay Fever
- Headaches
- Insomnia
- Influenza
- Goiter
- Lumbago
- Nervousness
- Neuralgia
- Neuritis
- Obesity

- Pimples
- Pneumonia
- Prostate Gland
- Rheumatism
- Scars
- Skin Diseases
- Sore Throat
- Sprains
- Stiff Neck or joints
- Tonsillitis Ulcers

**Instructions:** Please make sure to read the handbook included with the device for the safety precautions and use instructions prior to using the device. Follow the instructions for use in the handbook based on the symptoms you are experiencing post-vaccine.

**Violet Ray Precautions - Please Read Before Purchasing:**

The device should not be used near metal plates and pins. The device should not be used near metal jewelry, so please remove any jewelry in the areas you will be treating. This device has a high-frequency and cannot be used if you have a pacemaker or have an electronic hearing implant. The Violet Ray should not be used if you have drank any alcohol. Fatal complications can occur if alcohol is in your blood. If you have a heart murmur or heart disease, the Violet Ray should be used from the back only. Do not move the Violet Ray directly over the heart.

**Purchase Here:** [Violet Ray Handheld 4 Piece Healing Device with Cayce Healing Handbook \(zinglepathyrx.net\)](http://zinglepathyrx.net)

## Additional Detoxing Remedies & Protection

## **Additional Detoxing Remedies & Protection:**

Here is a list of additional remedies to prevent damage from the spike protein and derivatives due to injection and to protect from spike protein shedding of those who have been vaccinated:

- **Alpha Lipoic Acid (ALA):** An antioxidant to strengthen the cardiovascular system and keep it clear. A potent promoter of glutathione. Has shown success in stroke recovery, HIV and AIDS, heavy metal toxicity and detoxification support as well as many other treatment abilities.
- **Andrographis:** Helps prevent clogging of arteries and second heart attack after angioplasty. Credited for stopping the virulent Indian Flu epidemic in 1919. Anti-inflammatory and antibiotic action, and works especially well in combination with Vitamin C, bioflavonoids, and echinacea.
- **Arjuna:** An ayurvedic heart tonic effective for angina pain, arrhythmia, and congestive heart failure. High antioxidants in the tannins and flavones prevent oxidative damage linked to heart disease.
- **Astragalus:** A strong immune enhancer, a vasodilator that helps lower blood pressure and increase circulation. Keeps nasal-passage linings from letting in rhinoviruses. Improves circulation after heart attack, helps prevent second heart attack. Very important if heart problem related to a virus develops.

- **Bromelain:** Anti-inflammatory and clot inhibitor for fragile veins. Increases the breakdown of fibrin, which forms around the inflamed area, blocking the blood and lymphatic vessels.
- **Glucosamine/Chondroitin:** Anti-thrombogenic, anti-coagulant.
- **Grape Seed Extract (GSE):** 50x stronger than Vitamin E, 20x stronger than Vitamin C, and they are one of the few antioxidants that readily cross the blood-brain barrier to protect brain cells and aid memory.
- **Hawthorn (In heart emergency, one half dropperful every 15 minutes):** Bioflavonoid-rich, and adept at counteracting the damaging effects of free radicals on the cardiovascular system. Gentle but powerful. Improves blood flow to the heart and cardiac enzymes, which measure damage to heart muscle. Relaxes muscles surrounding arteries. Lowers both blood pressure and cholesterol levels. Helps the liver convert LDL into HDL. Helps preserve blood-vessel integrity after transient ischemic attacks (TIAs) (mini-strokes).
- **Quercetin** (500-1000 mg, twice daily)
- **Raw Garlic Cloves** (Eat 3 cloves of garlic every morning or take a teaspoon of garlic oil. Can also be used by mixing

crushed garlic in a little cold water and drink the mixture immediately. Garlic can also prevent against the virus and is a very stringent parasite removing substance.)

- **Lypospheric Vitamin C** (30ml, twice daily)
- **Coated Silver** (1-6 drops per day, depending on degree of exposure) (Coated silver blocks the sulfur-bearing protein on the spikes from entering the cell. Sulfur-rich amino acids on the spike protein interact with silver causing them to fold incorrectly).
- **Zinc** (30-80mg per day depending on immunological pressure)
- **Vitamin D3** (10,000 IU's per day)
- **Iodine** (dosage depends on brand, more is not better. Iodine is a product you have to start with small dosages and build up over time.)
- **MRM, Cardio Chelate with EDTA:** Cardio Chelate™ is a combination of nutrients that are designed to support cardiovascular health and promote healthy blood flow. Ethylene-Diamine-Tetra-Acetic Acid (EDTA) is a chelating agent with antioxidant properties and can bind to free-flowing metal ions in the bloodstream, forming a chemical bond that can facilitate the removal of these complexes. This can help suppress the development of damaging free radicals and any chain reaction that they might cause. While EDTA can remove toxic metals and abnormally metabolized

minerals from the body, its effects may be enhanced by including Vitamin C, Methyl-Sulfonyl-Methane (MSM), and N-Acetyl-Cysteine (NAC). These nutrients are vital for supporting the liver and other tissues during the detoxification process. MSM and NAC are precursors to glutathione; a powerful free radical scavenger involved in the liver's detoxifying enzyme system. Vitamin C is a proven antioxidant and has been shown to support cardiovascular health.

- **Pyrroloquinoline quinone (PQQ)** (20-40 mg per day)

## Shikimate Main Sources:

- **Fennel and/or Star Anise:** These are also an excellent source of shikimate or shikimic acid (which is known to neutralize the spike protein)

Purchase Here: [ZinglepathyRx | Etsy](#) - [www.zinglepathyrx.net](http://www.zinglepathyrx.net)

- **Pine Needle Tea for shikimic acid or shikimate** (There are toxic pine needles, be careful! When drinking pine needle tea, drink the oil/resin that accumulates too! Shikimate, shikimic acid and their derivatives possess: cancer fighting, antiviral, antimicrobial, anticoagulant and antithrombotic properties.)
  - YouTube: [\(462\) White Pine - Identification and Uses - YouTube](#)
  - [PINE TEA: Possible Antidote for Spike Protein Transmission – Ariyana Love \(wordpress.com\)](#)
- **C60** (1-3 droppersfull per day): One of the issues we are seeing with those who have been injected is disturbances in their energetic field (magnetism) and hot spots of inflammation. C60 is a rich-source of electrons and acts like a fire extinguisher to inflammation and simultaneously (because it bio-distributes throughout the body) drives a normalization of electron flow throughout the body. C60 is recommended to neutralize spike protein, detoxify graphene oxide and SM-102.
- **Activated Charcoal (2-4 capsules a day):** Activated Charcoal is the pre-eminent detoxifier and when taken on an

empty stomach, works its way down into the intestines and activates a blood purification process known as “interstitial dialysis”. Activated charcoal should not be taken over long periods of time. Take for 5 days, at most, at any given time.

Purchase Here: [ZinglepathyRx | Etsy](#) - [www.zinglepathyrx.net](http://www.zinglepathyrx.net)

- **Citrus fruit** (especially blood oranges, due to their high hesperidin content — hesperidin is a chalcone like quercetin that deactivates spike protein)
- **Peppermint** (very high in hesperidin)
- **Wheatgrass and Wheatgrass Juice** (blades are high in shikimate)

## **Superherbs to help disable the spike protein:**

- **Schizandra Berry** (high in shikimate)
- **Triphala formulations:** In Sanskrit, the word Triphala means “three fruits”: a combination of Indian gooseberry (*Emblica officinalis*), black myrobalan (*Terminalia chebula*) and belleric myrobalan (*Terminalia belerica*). The terminalia fruits are rich in shikimate.
- **St. John’s Wort** (shikimate is found throughout the entire plant and in the flowers)

Purchase Here: [ZinglepathyRx | Etsy](#) - [www.zinglepathyrx.net](http://www.zinglepathyrx.net)

- **Feverfew** (leaves and flowers are rich in shikimate)
- **Comfrey Leaf** (rich in shikimate)
- **Ginkgo Biloba Leaf** (rich in shikimate)

- **Giant Hyssop or Horsemint** (*Agastache urtifolia*) (rich in shikimate)
- **Liquid Ambar (Sweet Gum tree):** Rich in shikimate.
- **Olive Leaf Extract:** Prevents damage from the spike protein. Olive Leaf Extract attenuates inflammatory activation and DNA damage in human arterial endothelial cells.

*Purchase Here To Help Support Author: [ZinglepathyRx](#) | [Etsy](#) - [www.zinglepathyrx.net](http://www.zinglepathyrx.net)*

## Blocking vs. Neutralizing The Spike Protein

## **Blocking vs. Neutralizing The Spike Protein:**

- **Quercetin or Hydroxychloroquine (HCQ):** Quercetin works like HCQ. One of its mechanisms of action is that it blocks the 'virus' (with spikes around it) from attaching. These two supplements will help with spike protein damage and apply to most organs of the body but not all.
- **Ivermectin(IVM):** Ivermectin blocks spike proteins from attaching to the cell membrane. *(Alternative is Neem Oil and "Sweet Wormwood" (Artemisia Annua) – Being used in other countries and has been used to treat Malaria in the past.)*
- **Dandelion Leaf:** Dandelion Leaf Extract blocks spike proteins from attaching to cell membrane.
- **Chlorine Dioxide (CDS) or Miracle Mineral Supplement (MMS)** Chlorine dioxide neutralizes and eliminates the spikes.

Between a blocker (HCQ, Quercetin, Ivermectin, Dandelion, etc), and a neutralizer (CDS/MMS, Ozone, NAC), I prefer a neutralizer because it eliminates the spikes rather than only blocking them. I suggest alternating this with NAC in case there is Graphene Oxide transmission. I worry that the blocked spikes will continue to circulate and reach the brain and cause all sorts of mental illnesses (Dr. Malone, Bahkdi, Tenpenny, Mikovits). Most people prefer Chlorine Dioxide (CDS) to de-magnetize the body and NAC along with star anise and/or fennel or white pine tea. Make sure to stock up as the FDA is trying to ban some herbs and seeds and supplements.

- Chlorine dioxide (CDS) neutralizes the spikes.
- NAC or Glutathione neutralizes the Graphene Oxide, as well as spikes to some extent.
- For protection, I will alternate use of Chlorine dioxide and NAC.

We now have evidence of the latest injections containing: mRNA, spike protein, graphene oxide, SM-102, and numerous other potentially toxic substances.

Source: <https://www.planet-today.com/2021/09/american-scientists-confirm-toxic.html#gsc.tab=0>

## **Home Recipe For Hydroxychloroquine (HCQ)**

### **What is Hydroxychloroquine exactly?**

It is nothing but Quinine. Something that anyone can make at home... and something that is being manufactured each and every day in the form of something we have all seen at the grocery and liquor stores. This drug is being used to treat the Covid-19 virus.

Quinine has many uses and applications. It is analgesic, anesthetic, anti-arrhythmic, anti-bacterial, anti-malarial, anti-microbial, anti-parasitic, antipyretic, antiseptic, antispasmodic, antiviral, astringent, bactericide, cytotoxic, febrifuge, fungicide, insecticide, nervine, and much more.

If you ever feel a chest cold coming on or just feel like crap... make your own quinine. It is made out of the peelings of grapefruits and lemons but especially grapefruits.

**Here is all you need to make your own quinine:**

- Take the rind of 2-3 lemons, 2-3 grapefruits
- Take the peel ONLY and cover it with water about 3 inches above the peels.
- Put a glass lid on the pot, and let it simmer for about 2 hours.
- Do not take the lid off of the pot until it cools completely as this will allow the quinine to escape in the steam.
- Sweeten the tea with honey since it will be bitter. Take 1 tablespoon every couple of hours to bring up the phlegm from your lungs. Discontinue as soon as you get better.


What we currently know about Graphene Oxide  
(GO)

## **What we currently know about Graphene Oxide (GO):**



- Graphene Oxide fibers are in plastic masks.
- Graphene Oxide blocks detoxification in the body by blocking glutathione.
- Graphene Oxide creates thromboses.
- Graphene Oxide causes blood clots.
- Graphene Oxide fibers are on PCR test swabs.
- Graphene Oxide is in all Covid-19 vaccines.
- Graphene Oxide disrupts the immune system.
- Graphene Oxide can trigger a cytokine storm.
- Graphene Oxide toxicity can instigate pneumonia.
- Graphene Oxide creates a metallic taste in the mouth.
- Graphene Oxide causes inflammation of the mucous membranes.
- Graphene Oxide produces a loss in the sense of taste and smell.
- Graphene Oxide is magnetic (especially at the injection site.)
- Graphene Oxide may be activated by 5G frequencies.
- Graphene Oxide was already included as an adjuvant in the flu shots in 2019.
- Graphene Oxide passes thru the blood-brain barrier.
- Graphene Oxide can act as a solo trigger for most COVID symptoms.

***\*\*\*This is not a VIRUS or spike protein, but a chemical warfare agent.\*\*\****

**Vaccine Patient Blood Samples:**




## Vaccine Sample Compared With Graphene:





Vaccine Sample



Graphene

## Useful Remedies For Treating & Preventing Virus

## **Useful Remedies For Treating & Preventing Virus:**

Click This Link To Visit My Other Blog Post:

**[COVID-19 Virus: Prevention & Infection Remedies List Post](#)** -

[www. zinglepathy.com](http://www.zinglepathy.com)

## Further Research - Scientific Studies Relating To Vaccine Injuries

Click Here For A Compiled List Of Over 200+ Scientific Studies Proving Correlation Between Vaccine Injury And Their Association In Major Health Disorders And Illnesses:

[Maybe It's 'Genetics' OR Maybe It's a VACCINE INJURY - A Compilation Of Historical Vaccine Injury Studies \(zinglepathy.com\)](#)

Frequently reported Neurological adverse effects

Adverse effect	Vaccines
Demyelination disease	<p>Multiple sclerosis (MS) Hepatitis B vaccine <a href="#">50</a></p> <p>Acute disseminated encephalomyelitis (ADEM) Human papillomavirus vaccine <a href="#">51</a></p> <p>Transverse myelitis Influenza vaccine</p> <p>Optic neuritis Rabies vaccine <a href="#">52</a></p> <p>Yellow fever vaccine <a href="#">53</a></p>
Guillain-Barré syndrome (GBS)	<p>Influenza vaccine <a href="#">54</a></p> <p>Oral polio vaccine</p> <p>Tetanus vaccines <a href="#">55</a></p>
Encephalopathy	<p>Whole-cell pertussis vaccine <a href="#">56</a></p> <p>Influenza Vaccine</p>
Seizure	<p>Diphtheria, tetanus toxoids and whole-cell pertussis vaccine (DTP)</p> <p>Measles, mumps, and rubella vaccine (MMR) <a href="#">2</a></p>
Autism	MMR <a href="#">57</a> , <sup>a</sup>

<sup>a</sup>The original manuscript had been withdrawn.

---

**Vaccine Injury is nothing new... it's just rarely talked about...**

**Vaccine injuries are more common than most people know.**

---

This post will include the following sections below:

- [Vaccination as Contamination](#)
  - [Aseptic Meningitis and the MMR](#)
  - [Vaccinations and Leukemia/Lymphomas](#)
  - [Vaccines and Chromosome Changes Leading to Mutations](#)
  - [Vaccines and Autoimmunity](#)
  - [Vaccinations and Diabetes](#)
  - [Other Articles Linking Diabetes to Vaccines](#)
  - [Vaccines and Nervous System Changes](#)
  - [Vaccines and Demyelination](#)
  - [Vaccinations and Seizures](#)
  - [Vaccines and Brain Swelling](#)
  - [Vaccines and Neurological Damage](#)
  - [Vaccinations and Unexplained Diseases](#)
  - [Vaccines and Metabolism](#)
  - [Vaccines and Skin Disorders](#)
  - [The Polio Vaccine and Cancer](#)
  - [Vaccinations and Autism](#)
  - [Resolving and Reversing Vaccine Injury](#)
-

## Final Notes

## Final Notes

An overly acidic environment will create the perfect breeding ground for the contents in the vaccine to react within your body and therefore, an alkaline diet would be best. Below is a table foods... try to consume alkaline foods (at the top) and limit/avoid acidic foods (at the bottom), if possible.

pH CHART			
<b>Alkaline pH</b>  Consume Freely Raw is Best   Most foods get more acidic when cooked	<b>10</b>	<b>High Alkaline Ionized Water</b> Raw Spinach      Raw Broccoli Brussel Sprouts      Red Cabbage Cauliflower      Carrots Alfalfa Grass      Cucumbers Seaweeds      Asparagus  Artichokes Raw Cellery Potato Skins Collards Lemons & Limes	
	<b>9.0</b>	Olive Oil      Most Lettuce Raw Zucchini      Sweet Potato Sprouted Grains      Raw Eggplant Raw Green Beans      Blueberries Mangoes      Papayas Tangerines      Melons Grapes      Borage Oil Raw Peas Alfalfa Sprouts Pears Figs & Dates Kiwi	
	<b>8.0</b>	Apples      Almonds Tomatoes      Fresh Corn Turnip      Olives Bell Peppers      Radish Pineapple      Cherries Wild Rice      Strawberries Canteloupe      Honeydew Oranges      Grapefruit Avocados Mushrooms Soybeans Rhubarb Millet Apricots Peaches Bananas	
	<b>7.0</b>	<b>Most Tap Water</b> Municipalities adjust tap water to be +/- 7.0 Optimum pH for HUMAN BLOOD is 7.365  Butter, fresh, unsalt Cream, fresh, raw Milk, raw cow's Margarine Oils, except Olive	
<b>Neutral pH</b> Optimum pH for HUMAN BLOOD			



Lastly, remember that our journey here is one for soul growth and expansion... and this situation is part of the test and journey. In 2013, I had began suffering from many detrimental health symptoms and issues caused by the Gardasil vaccine I had gotten in 2008 when I was 19. Beginning in 2013, I had been diagnosed with an autoimmune disease-Hashimoto's, endometriosis, deep depression, and eventually psoriasis...all triggered by a vaccine...and the symptoms got progressively worse with passing time. Prior to the vaccine I had ZERO of these health issues or symptoms. Looking back on it now, the health issues I gained due to the vaccine were the biggest part of my awakening and it truly helped to jumpstart my awakening journey. Without them and the vaccine, I would not be who and where I am today. It was a humbling experience that pushed me to look for answers both personally and inwardly, as well as externally. Prior to the vaccine I had taken my good health and life for granted... but the adversity I faced and the pain I suffered from after the vaccine was a huge wake up call for me that helped me to

remember I should be grateful for what I have daily. It also helped me to rekindle my connection with God and my faith. Although it was a lot of suffering, it was the catalyst in my awakening... and I think everyone should keep this in mind. I wouldn't go back and change any part of what I went through because it all made me into the person I am today.

Remember to forgive yourself for the decisions you made before you knew any better... we've all been there and you are not alone. Forgiveness of self and others on our journey is one of the most important lessons to overcome and learn here. Use this time of healing to become closer to God/Source Creator (whatever you imagine them to be). Without full faith in God, you will not survive this test or journey or the times. Make sure to pray daily for healing, guidance, strength, and anything you need help with or need. Lastly, spend time in daily meditation imagining yourself healthy and happy.

Find yourself a Naturopathic Doctor near you to switch to... you can find one using this search:

<https://naturopathic.org/search/custom.asp?id=5613>

Always keep the faith and hope that everything happens and turns out for the best and for our highest good... I'm a firm believer that anything can be healed and resolved through God if we keep the faith and fully trust in God's plan for us and pray daily.

***Please pass this protocol along to anyone who may need it and make sure to save somewhere for yourself!***

Follow Me Here For More Updates

## **Follow Me Here For More Updates**

**Email:** Rx@zinglepathy.com

**Follow me on Truth Social & AnonUp for new insights and inspiration daily:** @cjzingle

**TikTok:** [@cjzingle](#)

**Instagram:** [@cjzingle](#)

**My Telegram Channel:** <https://t.me/xoanara>

**Personal Blog:** [Zinglepathy: Naturopathic Healing - https://www.zinglepathy.com/](#)

**My Online Store For Natural Remedies:** [www.zinglepathyRx.net](http://www.zinglepathyRx.net)

# CHOOSING YOUR COVID-19 VACCINE

*FACTS YOU SHOULD KNOW*



	<b>Pfizer:</b> \$4.7 billion in fines for false claims, drug and medical equipment safety violations, off-label promotion, corrupt practices, kickbacks, and bribery.
	<b>Moderna:</b> Has never brought a vaccine to market since its founding, despite fielding 9+ vaccine candidates, none of which made it through phase 3 clinical trials.
 Johnson & Johnson	<b>Johnson &amp; Johnson:</b> Named in hundreds of thousands of lawsuits for toxic and/or dangerous products, including drugs, shampoos, medical equipment, and asbestos-contaminated baby powder.
	<b>AstraZeneca:</b> Suspended by two dozen European countries due to severe, lethal adverse reactions, like blood clots.

**! DON'T WORRY, YOU'RE IN SAFE HANDS!**

If you're vaccinated, remember to wear a mask and socially distance because you can still spread COVID-19. Trust the Science™



# About The Author

## **C.J. Zingle**



C.J. Zingle was born and raised in Philadelphia, Pennsylvania, USA. She pursued a degree in Chemistry from Mount St. Mary's University in Maryland, where she was granted a Softball Scholarship to play Division 1 Softball and Soccer. Upon graduating with a Chemistry undergraduate degree in 2011, she was asked to be the Assistant Coach for the Women's Softball program and helped coach The Mount for 3 seasons while pursuing her Master of Business Administration (M.B.A.) degree.

After completing her Master's degree, she pursued a diversified Scientific career in the Pharmaceutical industry from 2015-2020. A highly distinguished Pharmaceutical and CRO professional in Large Molecule Pharmaceutical R&D and manufacturing, with experience

supporting biologics drug discovery, sample analysis, clinical and non-clinical method development, assay validation work, method transfer outsourcing projects, Quality Control analytical testing for raw materials for drug formulation and analytical testing for extended release (XR) and immediate release (IR) finished products, across all therapeutic areas spanning non-clinical studies to post-market clinical development in R&D and also experience in pharmaceutical drug formulation and manufacturing of finished products.

She has a comprehensive background in Biologics, including knowledge and experience in Anti-Drug Antibodies (ADA), Pharmacokinetics (PK) and Anti-Drug Neutralizing Antibodies(Nab); cell-based and non-cell-based assay platforms, including bi-specific antibody drugs. She has acquired a highly diversified array of experience in pharmaceutical testing and has also developed a diversified skillset as a scientist, gaining valuable laboratory experience in both the GLP and GMP laboratory settings, while also participating and contributing during two FDA inspections, where she successfully completed all necessary requirements and experiments for her department during both inspections.

In October 2020, she quit her pharmaceutical career to switch over to Naturopathic Healing.

#### Pharmaceutical Work Experience:

2015-2018: Bioanalytical Scientist

Janssen Pharmaceutical R&D - Johnson & Johnson: Oncology & Immune Response Therapies in Biologics

2018-2019: Senior Chemist

AstraZeneca Manufacturing Global Operations: Quality Control Analytical Testing Experimentation

2019-2020: Laboratory Investigations Scientist

WuXi AppTec Advanced Therapies: Gene, Cell, & DNA Therapies -

## R&D and Finished Products - Quality Assurance

### Education:

Mount St. Mary's University  
Bachelor of Science (B.S.), Chemistry  
2007-2011

Mount St. Mary's University  
Master of Business Administration (M.B.A.), Finance  
2011-2013

Six Sigma Yellow Belt  
March 2019

Zinglepathy Rx was created by C.J. Zingle in October 2021. She had a vision of creating a one-stop online store where you could find health and wellness information as well as all the products relating to finding real health cures and solutions.

Her passion and vision stem from her own health journey of trying to find answers from many different doctors and being told to “just deal with it” and that “there are no ‘known’ cures for your disease.” After many years of wasting a ton of money and time, she stumbled upon (was guided to) a product called “Zeoboost”, a brand of Zeolite powder. She began her journey using Zeoboost in July 2021 and saw immediate change in her health after 1 week of taking 6 teaspoons daily. Each week she noticed new and greater changes, and after 90 days, felt better than she had as a young kid. In 2013, she was diagnosed with Hashimotos (an autoimmune disease) after her health had gotten progressively worse, beginning around 2011. After doing much research on her own to find answers, she realized that her illness may have been caused by a vaccine injury in 2008, that she had gotten prior to being awake to the dangerous chemical ingredients in vaccines and their impact on our overall health. At the time, she was only 19 years old, and her primary care doctor had

recommended to get the HPV vaccine “Gardasil”, and being young and naïve, she agreed to get it and life began to change from there. She had played two Division 1 sports in college and then began suffering from many unbearable health symptoms such as chronic fatigue, psoriasis, and deep depression. She then learned there was a link, when she heard that her cousin (1 year older) had also started to develop symptoms of Lupus around the same time she had developed Hashimotos symptoms, and learned that her cousin had also gotten the Gardasil vaccine around the same time.

Our store offers natural herbal healing recommendations regarding any current health concerns/conditions in hopes of improving overall health around the world!

I myself have health conditions that doctors have not been able to help with and have found much relief through herbal healing, natural remedies and products. My experiences have made me want to help others in similar situations, because I know what it feels like to be hopeless, with no answers from modern medicine, and especially because I have gained so much knowledge of herbal medicine over the past few years in my own journey. Here at my store, you will find beneficial herbs and products, dosing, and how to take them for best results. I determine which herbs and products are best for you through intuitive practices AND medical research, to offer you the best recommendations and advice. I am an ex-R&D pharmacist, now turned FARMacist, who studies herbal medicine and soulutions, so I understand both sides of medicine and have a solid foundation in a wide variety of disease states.

Thank you for joining me on this journey!

You deserve to get your health back and live pain free!

Follow Me Here For More Updates:

Email: [Rx@zinglepathy.com](mailto:Rx@zinglepathy.com)

Follow me on Truth Social & AnonUp for new insights and inspiration daily: @cjzingle

TikTok: @cjzingle

Instagram: @cjzingle

My Telegram Channel: <https://t.me/xoanara>

Personal Blog: Zinglepathy: Naturopathic Healing -  
<https://www.zinglepathy.com/>

My Online Store For Natural Remedies: [www.zinglepathyRx.net](http://www.zinglepathyRx.net)